

K-Laser

Clinical laser for scar, lesion and vascular support.

K-Laser is a clinical laser used with settings selected for the specific concern being treated. At NovaLux it may be considered for scar support, selected vascular marks, post-procedure recovery support and carefully assessed benign skin lesions. Because indications vary, your clinician will explain the specific use, expected response, recovery and risks relevant to your treatment.

WHAT IT TREATS

K-Laser may be considered for scar appearance, tissue recovery support, selected superficial vascular changes (such as small facial vessels or cherry angiomas) and selected benign blemishes after appropriate diagnosis. Pigmented or changing lesions must not be treated cosmetically unless clinically assessed and considered safe to treat.

HOW IT WORKS

The device delivers selected light energy to the treatment area. Depending on settings and indication, the aim may be to influence inflammation, support tissue healing or target superficial vascular structures. Treatment is individualised, so expected sensation, visible skin response and recovery differ between scar-support, blemish and vascular sessions.

WHAT TO EXPECT DURING TREATMENT

The treatment area is assessed and the treatment goal confirmed before commencing. Protective eyewear is worn where required. The laser is applied to the selected area using settings chosen by your clinician. Sensation can range from gentle warmth to sharper heat depending on the indication and energy delivered.

DOWNTIME AND RECOVERY

Downtime varies. Scar-support treatments may show little visible recovery, while treated vascular marks or blemishes may become red, darker, crusted or tender before settling. Follow the specific aftercare instructions provided for your indication rather than assuming all K-Laser treatments heal in the same way.

RISKS AND COMPLICATIONS

Common side effects. Temporary redness, warmth, tenderness, swelling, surface darkening, crusting or mild pigment change in the treated area. Response varies and

repeat treatment may be needed. Some treated spots look worse before they improve — this is expected for certain indications.

RARE / SERIOUS RISKS — MATERIAL RISKS

Please read carefully — these form part of your informed consent.

PRE-TREATMENT INSTRUCTIONS

Avoid tanning and disclose recent sun exposure. Tell your clinician about photosensitising medicines, implanted devices, poor wound healing, keloid tendency and recent procedures. Do not attend with active infection unless the treatment has specifically been planned as part of clinical wound-support care.

POST-TREATMENT INSTRUCTIONS

Keep the area clean and follow any wound-care advice provided if crusting occurs. Do not pick crusts or treated spots. Use sunscreen and avoid direct sun exposure while the skin settles. Contact the clinic for increasing pain, blistering, pus, spreading redness, fever or delayed healing.

EXPECTED RESULTS AND TIMELINE

Healing-support treatments may feel subtle and cumulative. Vascular or blemish treatments may change over days to weeks as redness, darkening or crusting settles. Review is used to decide whether further treatment is useful or whether a different approach is more appropriate.

CONTRAINDICATIONS

K-Laser may not be suitable for unassessed pigmented or changing lesions, active infection, open wounds or dermatitis (unless specifically cleared), recent tanning, inability to avoid sun exposure during recovery, photosensitising medicines, or implanted medical devices requiring review. Final suitability depends on the indication and clinician assessment.

QUESTIONS BEFORE CONSENT

If anything in this document is unclear, please ask before signing your consent form. Your clinician will explain the specific indication, planned settings and recovery for your treatment.

Disclaimer: This document provides general information and does not replace a formal medical consultation. Please discuss any questions with your treating practitioner prior to signing your consent form.

NOVALUX SKIN REJUVENATION · 221 CHARLESTOWN ROAD, CHARLESTOWN NSW 2290 · (02) 4032 8790